


4P-106-IB*

- Lift capacity: @ 250 psi 72,000 lbs., 36,000 front & 36,000 rear
- Lift capacity: @ 350 psi 100,000 lbs., 50,000 front & 50,000 rear
- Axle engaging front saddle and adapters. I-Beam style rear superstructure equipped with adjustable saddles and adapters to engage vehicle axles, suspension or cross frame member.
- Adjustable front cylinder for various wheelbase lengths
- Electric/hydraulic oil or Citgo "Aquamarine" oil operated
- Post diameters: (2) 10-5/8" front & (2) 10-5/8" rear
- Displacement: 100 gallons
- Raised vehicle contact height above floor: 67" front & 69-3/4" rear based on standard adapters
- Multiple lip seal seal design for increased performance

* Requires a power unit
see page 50 for details



Applications:

Airports
Fire Departments
Utility Companies
Transit Authorities
Municipal Garages

or wherever heavy-duty vehicle lifting is required

Power Post Lifting Systems

fastest, most
reliable and
economical method
for lifting




standards & options next page

Proven Lifting Technology

Specifications and Options

4P-106-IB Standard Equipment:

12 foot front frame (non-recessed), remote release multi-position automatic lift locks, power spot hydraulic drive front post adjustment, quick adapter spotting devices, floor level dead-man style control valves, (note: power unit is not supplied) and rear only fiberglass component. Standard front adapters adjust from 40-1/2" to 57-1/2" in width and standard rear adapters are adjustable from 24" to 44".



Your Easy Upgrade Options:

Front Frame Upgrades:

Additional front frame length for accommodating longer vehicle wheelbase lengths.

SVI Upgrade Number	Description	SVI Upgrade Number	Description
SV-9667-013-L	13' Front Frame	SV-9667-017-L	17' Front Frame
SV-9667-014-L	14' Front Frame	SV-9667-018-L	18' Front Frame
SV-9667-015-L	15' Front Frame		
SV-9667-016-L	16' Front Frame	Longer front frame lengths available per request	

Air Lock Upgrade:

Standard equipment

Power Spot Upgrade:

Standard equipment

Fiberglass Upgrade:

Fiberglass coat your front cylinder component for added protection. Rear cylinders are supplied standard with fiberglass protection.

SVI Upgrade Number	Description
SV-9674-85FG-L	Add Fiberglass Coating to the Front Cylinder Assembly

