



# Delivery System Products

## Air Line Tubing & Push-On-Fittings



### APPLICATIONS

- Auto Lift Air Lock Systems
- Auto & Truck Tire Changers
- Air Tools
- Lube Lines
- Drain Lines
- Electrical Jacketing
- Laboratories
- Instrumentation
- Spray Supply Lines
- Metering Pumps
- Food & Beverage
- Agricultural Lines
- Chemical & Solvent Lines
- Refrigeration
- Vacuum Lines
- Coolants
- Air Brake Systems

### Table of Contents

Polyethylene Tubing .....	2
Nylon 12 Tubing.....	3
Polyurethane Tubing.....	4
Polypropylene Tubing.....	5
Nylon 12 DOT Type "A" Tubing .....	6
Nylon DOT Type "B" Tubing .....	7
Standard Push-on Fittings (NPT) .....	8 - 10
Metric Push-on Fittings (BSBT).....	11-15
DOT Push-on Fittings.....	16-17
Air Release Valves - Air Cylinders.....	18-20
Recoil Air Hoses .....	20



### SVI International, Inc.


155 Harvestore Drive, DeKalb, IL 60115

Call: 800-321-8173 or 815-748-0200 • Fax: 800-899-1784 or 815-748-0210

[www.sviinternational.com](http://www.sviinternational.com)



## Polyethylene Air Line Tubing



Polyethylene tubing is the lowest cost tubing in the SVI product line that you can use for air line replacement in shops on a tight budget. Polyethylene is highly resistant to stress cracks and affords the working and burst pressures for most shop service equipment applications. SVI supplies this tubing in both standard and metric sizes. Polyethylene tubing is stocked in black but other colors are available upon request. SVI conveniently supplies and stocks black by-the-foot or you may order bulk rolls in lengths up to 1000 feet. This means you can purchase exactly what you need for a specific job or in larger quantities to keep your service trucks stocked.

# Polyethylene

### Polyethylene at a Glance:

- Low cost
- Lightweight and flexible
- Resistant to stress cracking
- Temperature range -50° F to +140° F
- Use with brass or plastic resin fittings
- Chemical Resistant
- Color: Black
- Order: By the foot

### Uses:

- Auto lift air lock systems
- Air tools
- Drain lines
- Electrical jacketing
- Food & Beverage
- Laboratories
- Instrumentation

### STANDARD Polyethylene Tubing

SVI Part #	O.D. (in)	I.D. (in)	Wall Thickness	W.P. (psi) @70° F	3:1 Burst Pressure
BH-7901D-001BK	.250	.170	.040	150	450
BH-7901F-001BK	.375	.250	.062	150	450

Use with STANDARD Push on Fittings found on pages 8–10

### Other color choices

- Black = BK
- Blue = BL
- Green = GR
- Natural = NA
- Red = RD
- White = WH
- Yellow = YL

### METRIC Polyethylene Tubing

SVI Part #	O.D. (mm)	I.D. (mm)	Wall Thickness	W.P. (psi) @70° F	3:1 Burst Pressure
BH-7901N-001BK	4.0	2.5	.75	180	540
BH-7901O-001BK	6.0	4.0	1.0	150	450
BH-7901P-001BK	8.0	6.0	1.0	150	450
BH-7901Q-001BK	10.0	8.0	1.0	125	375
BH-7901R-001BK	12.0	9.0	1.5	100	300

Use with METRIC Push on Fittings found on pages 11–15


### Length Choices

- 001BK = by the foot
- 100BK = 100' roll
- 250BK = 250' roll
- 500BK = 500' roll
- 1000BK = 1000' roll



## Nylon 12 Air Line Tubing

Nylon 12 tubing is recognized as the industry standard for applications where higher working pressures and higher heat and/or chemical resistance are required. It is ideal for outdoor applications because of its superior stress crack resistance making it the perfect choice for air lock systems on lifts used outdoors. SVI supplies this tubing in both standard and metric sizes. Nylon 12 is stocked in black but other colors are available upon request. SVI conveniently supplies and stocks black by-the-foot in standard sizes or you may order bulk rolls in lengths up to 1000 feet. Metric Nylon 12 is sold by-the foot and in bulk lengths of 82' (25 meters) and 328' (100 meters). This means you can purchase exactly what you need for a specific job or in larger quantities to keep your service trucks stocked.



# Nylon 12

### Nylon 12 at a Glance:

- Strong
- Color: Black
- Order: By the foot
- Higher working pressures
- Lightweight and flexible
- Resistant to stress cracking
- Excellent outdoor capabilities
- Temperature range -60° F to +200° F
- Use with brass or plastic resin fittings

### Uses:

- Auto lift air lock systems
- Auto & Truck Tire Changers
- Air tools
- Lube Lines
- Drain lines
- Paint Supply Lines
- Refrigeration
- Laboratories
- Instrumentation

### Other color choices

- Black = BK
- Blue = BL
- Green = GR
- Natural = NA
- Red = RD
- White = WH
- Yellow = YL

### Length choices for Standard sizes

- 001BK = by the foot
- 100BK = 100' roll
- 250BK = 250' roll
- 500BK = 500' roll
- 1000BK = 1000' roll

### for Metric sizes

- 001BK = by the foot
- 082BK = 82' roll
- 328BK = 328' roll

### STANDARD Nylon 12 Tubing

SVI Part #	O.D. (in)	I.D. (in)	Wall Thickness	W.P. (psi) @70° F	3:1 Burst Pressure
BH-7902D-001BK	.250	.180	.035	290	870
BH-7902F-001BK	.375	.275	.050	250	750

Use with STANDARD Push on Fittings found on pages 8–10


### METRIC Nylon 12 Tubing

SVI Part #	O.D. (mm)	I.D. (mm)	Wall Thickness	W.P. (psi) @70° F	3:1 Burst Pressure
BH-7902N-001BK	4.0	2.3	.85	350	1050
BH-7902O-001BK	6.0	4.0	1.0	340	1020
BH-7902P-001BK	8.0	6.0	1.0	250	750
BH-7902Q-001BK	10.0	8.0	1.0	225	675
BH-7902R-001BK	12.0	10.0	1.0	200	600
BH-7902S-001BK	14.0	12.0	2.0	175	525

Use with METRIC Push on Fittings found on pages 11–15



## Polyurethane Air Line Tubing



# Polyurethane

Polyurethane tubing is made from the highest quality raw materials available. Polyurethane tubing is strong and very flexible and affords superior kink resistance and low temperature flexibility to other types of tubing. It is ether-based which makes it resistant to hydrolysis, fungus and weathering. In addition to its industrial uses it meets NSF (National Sanitation Foundation) requirements. SVI supplies this tubing in both standard and metric sizes. Polyurethane tubing is stocked in black but other colors are available upon request. SVI conveniently supplies and stocks black by-the-foot or you may order bulk rolls in lengths up to 1000 feet. This means you can purchase exactly what you need for a specific job or in larger quantities to keep your service trucks stocked.

### Polyurethane at a glance

- Strong
- Lightweight and very flexible
- Heat & Cold resistant
- Temperature range -40° F to +160° F
- Kink resistant
- Use with brass or plastic resin fittings
- Meets NSF Requirements
- Color: Black
- Order: By the foot

### Uses:

- Auto lift air lock systems
- Air tools
- Lubrication lines
- Painting systems
- Hydraulic lines
- Metering pumps
- Food & beverage
- Laboratories
- Instrumentation
- Agricultural lines

### STANDARD Polyurethane Tubing

SVI Part #	O.D. (in)	I.D. (in)	Wall Thickness	W.P. (psi) @70° F	3:1 Burst Pressure
BH-7903D-001BK	.250	.156	.047	180	540
BH-7903F-001BK	.375	.250	.063	150	450

Use with STANDARD Push on Fittings found on pages 8–10

### Other color choices

- Black = BK
- Clear = CL
- Green = GR
- Clear Blue = CB
- Red = RD
- White = WH
- Yellow = YL

### METRIC Polyurethane Tubing

SVI Part #	O.D. (mm)	I.D. (mm)	Wall Thickness	W.P. (psi) @70° F	3:1 Burst Pressure
BH-7903N-001BK	4.0	2.5	.75	200	600
BH-7903O-001BK	6.0	4.0	1.0	180	540
BH-7903P-001BK	8.0	5.0	1.5	175	525
BH-7903Q-001BK	10.0	6.5	1.75	150	450
BH-7903R-001BK	12.0	8.0	2.0	150	450


Use with METRIC Push on Fittings found on pages 11–15

### Length choices

- 001BK = by the foot
- 100BK = 100' roll
- 250BK = 250' roll
- 500BK = 500' roll
- 1000BK = 1000' roll



## Parflex Polypropylene Air Line Tubing



### Polypropylene at a glance

- Lightweight and durable
- Higher working pressures
- Excellent outdoor durability
- Acid & chemical resistant
- Heat resistant
- Use with brass or plastic resin fittings
- Color: Black
- Order: By the foot

# Parflex Polypropylene

Parflex Polypropylene tubing by Parker, available in black only, is durable and lightweight and is suited for applications where higher temperatures and working pressures are expected. This tubing is standard equipment on air locking systems on Rotary Lift models. Parflex is also excellent for use outdoors, in direct sunlight, and is acid and chemically resistant. SVI supplies this tubing in 1/4" and 3/8" OD sizes and conveniently supplies and stocks it in black. It is sold by-the-foot or you may order bulk rolls in lengths up to 500 feet. This means you can purchase exactly what you need for a specific job or in larger quantities to keep your service trucks stocked.

### Uses:

- Auto lift air lock systems
- Auto & Truck Tire Changers
- Air tools
- Lube Lines
- Drain lines
- Chemical & solvent lines
- Instrumentation

### Length Choices

- 001BK = by the foot
- 100BK = 100' roll
- 500BK = 500' roll

*Available in Black only*

### STANDARD Polypropylene Tubing

SVI Part #	O.D. (in)	I.D. (in)	Wall Thickness	W.P. (psi) @73° F	3:1 Burst Pressure
BH-7904D-001BK	.250	.170	.040	300	1200
BH-7904F-001BK	.375	.250	.062	300	1200

Use with STANDARD Push on Fittings found on pages 8–10



### Nylon 12 D.O.T. Type "A" Air Line Tubing



#### Type "A" D.O.T. Tubing at a Glance

- Meets SAE J844 Type "A" specifications
- Strong, lightweight and flexible
- Abrasion resistant
- Temperature range -40° F to +200° F
- Heat resistant
- Chemical resistant
- Use with special brass D.O.T. fittings
- Color: Black
- Order: By the foot

## Nylon 12 D.O.T. Type "A"

Nylon 12 D.O.T. Type "A" tubing is a single wall, non-reinforced nylon tubing ideal for use on vehicles for instrumentation and pneumatic accessories connected to air brake systems. In addition to being strong, lightweight and flexible, this tubing has outstanding tensile strength and chemical resistance. It meets SAE J844 Type "A" specifications for use on Air Brake Systems. SVI supplies this D.O.T. Type "A" tubing in 1/4" OD. This tubing is stocked in black but other colors are available upon request. SVI conveniently supplies and stocks black by-the-foot or you may special order bulk rolls in lengths up to 1000 feet. This means you can purchase exactly what you need for a specific job or in larger quantities to keep your service trucks stocked.

#### Uses:

- Auto lift air locking systems
- Air brake systems
- Fuel lines
- Lube lines
- Painting supply lines
- Refrigeration
- Coolants
- Vacuum lines
- Instrumentation

#### Other Color Choices

- Black = BK
- Blue = BL
- Green = GR
- Clear = CL
- Red = RD
- Orange = OR
- Yellow = YL

#### Length Choices

- 001BK = by the foot
- 100BK = 100' roll
- 250BK = 250' roll
- 500BK = 500' roll
- 1000BK = 1000' roll


#### STANDARD Nylon 12 D.O.T. Type "A" Tubing

SVI Part #	O.D. (in)	I.D. (in)	Wall Thickness	Minimum Burst Pressure (psi) @73° F
BH-7905D-001BK	.250	.180	.040	1200

Order Special Brass D.O.T. Push on Fittings  
for Higher Working Pressures found on pages 16–17



## Nylon D.O.T. Type “B” Air Line Tubing



Nylon D.O.T. Type “B” tubing is a seamless nylon type 11 liner reinforced with a single ply fiber braid fused to a nylon cover. Ideal for use on vehicles for instrumentation and pneumatic accessories connected to air brake systems. In addition to being strong, lightweight and flexible, this tubing has outstanding tensile strength and chemical resistance. It meets SAE J844 Type “B” specifications for use on Air Brake Systems. SVI supplies this D.O.T. Type “B” tubing in 3/8” OD and 1/2” OD. This tubing is stocked in black but other colors are available upon request. SVI conveniently supplies and stocks black by-the-foot or you may order bulk rolls in lengths up to 1000 feet (1/2” only sold up to 500’). This means you can purchase exactly what you need for a specific job or in larger quantities to keep your service trucks stocked.

# Nylon 12 D.O.T. Type “B”

### D.O.T Type “B” Tubing at a Glance

- Meets SAE J844 Type “B” specifications
- Strong, lightweight and flexible
- Abrasion resistant
- Temperature range -40° F to +200° F
- Heat resistant
- Chemical resistant
- Use with special brass D.O.T. fittings
- Color: Black
- Order: By the foot

### Uses:

- Auto lift air locking systems
- Air brake systems
- Instrumentation
- Lube lines
- Painting supply lines
- Refrigeration
- Coolants
- Vacuum lines
- Fuel lines

### Other Color Choices

- Black = BK
- Blue = BL
- Green = GR
- Natural= NA
- Red = RD
- Orange = OR
- Yellow = YL

### Length Choices

- 001BK = by the foot
- 100BK = 100’ roll
- 250BK = 250’ roll
- 500BK = 500’ roll
- 1000BK = 1000’ roll

### STANDARD Nylon D.O.T Type “B” Tubing

SVI Part #	O.D. (in)	I.D. (in)	Wall Thickness	Minimum Burst Pressure (psi) @73° F
BH-7906F-001BK	.375	.250	.062	1400
BH-7906G-001BK	.500	.378	.061	950

Order Special Brass D.O.T. Push on Fittings  
for Higher Working Pressures found on pages 16–17



### Standard Push-on Fittings - NPT Thread

for Polyethylene, Nylon, Polyurethane & Polypropylene Air Line Tubing

#### Nickel-Plated Brass



SVI Part #	Description	Style	OD Tube	NPT
BH-7910-005	Straight Male Connector	Brass	1/4"	1/8"
BH-7910-006	Straight Male Connector	Brass	1/4"	1/4"
BH-7910-007	Straight Male Connector	Brass	1/4"	3/8"
BH-7910-011	Straight Male Connector	Brass	3/8"	1/8"
BH-7910-012	Straight Male Connector	Brass	3/8"	1/4"
BH-7910-013	Straight Male Connector	Brass	3/8"	3/8"
BH-7910-014	Straight Male Connector	Brass	3/8"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7910-034	Straight Female Connector	Brass	1/4"	1/8"
BH-7910-035	Straight Female Connector	Brass	1/4"	1/4"
BH-7910-036	Straight Female Connector	Brass	1/4"	3/8"
BH-7910-039	Straight Female Connector	Brass	3/8"	1/4"
BH-7910-040	Straight Female Connector	Brass	3/8"	3/8"
BH-7910-041	Straight Female Connector	Brass	3/8"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7910-054	Swivel Male Elbow	Brass	1/4"	1/8"
BH-7910-055	Swivel Male Elbow	Brass	1/4"	1/4"
BH-7910-056	Swivel Male Elbow	Brass	1/4"	3/8"
BH-7910-060	Swivel Male Elbow	Brass	3/8"	1/8"
BH-7910-061	Swivel Male Elbow	Brass	3/8"	1/4"
BH-7910-062	Swivel Male Elbow	Brass	3/8"	3/8"
BH-7910-063	Swivel Male Elbow	Brass	3/8"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7910-074	Swivel Male Tee	Brass	1/4"	1/8"
BH-7910-075	Swivel Male Tee	Brass	1/4"	1/4"
BH-7910-076	Swivel Male Tee	Brass	1/4"	3/8"
BH-7910-080	Swivel Male Tee	Brass	3/8"	1/8"
BH-7910-081	Swivel Male Tee	Brass	3/8"	1/4"
BH-7910-082	Swivel Male Tee	Brass	3/8"	3/8"
BH-7910-083	Swivel Male Tee	Brass	3/8"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7910-104	Swivel Male Run Tee	Brass	1/4"	1/8"
BH-7910-105	Swivel Male Run Tee	Brass	1/4"	1/4"
BH-7910-106	Swivel Male Run Tee	Brass	1/4"	3/8"
BH-7910-110	Swivel Male Run Tee	Brass	3/8"	1/8"
BH-7910-111	Swivel Male Run Tee	Brass	3/8"	1/4"
BH-7910-112	Swivel Male Run Tee	Brass	3/8"	3/8"
BH-7910-113	Swivel Male Run Tee	Brass	3/8"	1/2"





**Standard Push-on Fittings - NPT Thread**  
for Polyethylene, Nylon, Polyurethane & Polypropylene Air Line Tubing

**Nickel-Plated Brass**

SVI Part #	Description	Style	OD Tube
BH-7910-121	Straight Union	Brass	1/4"
BH-7910-123	Straight Union	Brass	3/8"



SVI Part #	Description	Style	OD Tube	OD Tube
BH-7910-125	Different Union	Brass	1/4"	5/32"
BH-7910-126	Different Union	Brass	5/16"	1/4"
BH-7910-127	Different Union	Brass	3/8"	5/16"
BH-7910-128	Different Union	Brass	1/2"	3/8"



SVI Part #	Description	Style	OD Tube
BH-7910-130	Union Elbow	Brass	1/4"
BH-7910-132	Union Elbow	Brass	3/8"



SVI Part #	Description	Style	OD Tube
BH-7910-135	Union Tee	Brass	1/4"
BH-7910-137	Union Tee	Brass	3/8"



SVI Part #	Description	Style	OD Tube
BH-7910-151	Bulkhead Union	Brass	1/4"
BH-7910-153	Bulkhead Union	Brass	3/8"
BH-7910-154	Bulkhead Union	Brass	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7910-160	Female Bulkhead Union	Brass	1/4"	1/8"
BH-7910-161	Female Bulkhead Union	Brass	1/4"	1/4"
BH-7910-162	Female Bulkhead Union	Brass	1/4"	3/8"
BH-7910-166	Female Bulkhead Union	Brass	3/8"	1/4"
BH-7910-167	Female Bulkhead Union	Brass	3/8"	3/8"
BH-7910-168	Female Bulkhead Union	Brass	3/8"	1/2"



**Standard Push-On Fittings—  
NPT Thread**



### Standard Push-on Fittings - NPT Thread

for Polyethylene, Nylon, Polyurethane & Polypropylene Air Line Tubing

#### POM (Polyoxymethylene) Resin



SVI Part #	Description	Style	OD Tube	NPT
BH-7911-024	Swivel Male Elbow	Resin	1/4"	1/8"
BH-7911-025	Swivel Male Elbow	Resin	1/4"	1/4"
BH-7911-026	Swivel Male Elbow	Resin	1/4"	3/8"
BH-7911-030	Swivel Male Elbow	Resin	3/8"	1/8"
BH-7911-031	Swivel Male Elbow	Resin	3/8"	1/4"
BH-7911-032	Swivel Male Elbow	Resin	3/8"	3/8"



SVI Part #	Description	Style	OD Tube	NPT
BH-7911-044	Swivel Male Tee	Resin	1/4"	1/8"
BH-7911-045	Swivel Male Tee	Resin	1/4"	1/4"
BH-7911-046	Swivel Male Tee	Resin	1/4"	3/8"
BH-7911-050	Swivel Male Tee	Resin	3/8"	1/8"
BH-7911-051	Swivel Male Tee	Resin	3/8"	1/4"
BH-7911-052	Swivel Male Tee	Resin	3/8"	3/8"
BH-7911-053	Swivel Male Tee	Resin	3/8"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7911-064	Swivel Male Run Tee	Resin	1/4"	1/8"
BH-7911-065	Swivel Male Run Tee	Resin	1/4"	1/4"
BH-7911-066	Swivel Male Run Tee	Resin	1/4"	3/8"
BH-7911-070	Swivel Male Run Tee	Resin	3/8"	1/8"
BH-7911-071	Swivel Male Run Tee	Resin	3/8"	1/4"
BH-7911-072	Swivel Male Run Tee	Resin	3/8"	3/8"
BH-7911-073	Swivel Male Run Tee	Resin	3/8"	1/2"



SVI Part #	Description	Style	OD Tube
BH-7911-081	Union Tee	Resin	1/4"
BH-7911-083	Union Tee	Resin	3/8"



SVI Part #	Description	Style	OD Tube
BH-7911-088	Swivel Union Y	Resin	1/4"
BH-7911-090	Swivel Union Y	Resin	3/8"



SVI Part #	Description	Style	OD Tube	NPT
BH-7911-099	Swivel Branch Y	Resin	1/4"	1/8"
BH-7911-100	Swivel Branch Y	Resin	1/4"	1/4"
BH-7911-101	Swivel Branch Y	Resin	1/4"	3/8"
BH-7911-105	Swivel Branch Y	Resin	3/8"	1/4"
BH-7911-106	Swivel Branch Y	Resin	3/8"	3/8"
BH-7911-107	Swivel Branch Y	Resin	3/8"	1/2"



**Metric Push-on Fittings - BSPT Thread (British Standard Pipe Thread)**  
for Metric Polyethylene, Nylon & Polyurethane Air Line Tubing

**Nickel-Plated Brass**

Please Note: The Metric Push-on Fittings that appear on the following pages are British Standard Pipe Thread (BSPT).

British Standard Pipe Thread is recognized internationally as British Metric. Standard Pipe Thread in the United States is NPT or National Pipe Thread. BSPT is a tapered thread similar to NPT. Although similar, they should not be interchanged. Please beware that some equipment manufactured in Europe may use British Standard Pipe Parallel (BSPP) which does not have a taper. Before ordering please check the owner's manual of the particular machine for the proper thread sizes. Other thread sizes are available upon request.

SVI Part #	Description	Style	OD Tube	BSPT
BH-7912-002	Metric Straight Male Connector	Brass	4mm	1/8"
BH-7912-003	Metric Straight Male Connector	Brass	4mm	1/4"
BH-7912-005	Metric Straight Male Connector	Brass	6mm	1/8"
BH-7912-006	Metric Straight Male Connector	Brass	6mm	1/4"
BH-7912-007	Metric Straight Male Connector	Brass	6mm	3/8"
BH-7912-008	Metric Straight Male Connector	Brass	8mm	1/8"
BH-7912-009	Metric Straight Male Connector	Brass	8mm	1/4"
BH-7912-010	Metric Straight Male Connector	Brass	8mm	3/8"
BH-7912-011	Metric Straight Male Connector	Brass	8mm	1/2"
BH-7912-012	Metric Straight Male Connector	Brass	10mm	1/8"
BH-7912-013	Metric Straight Male Connector	Brass	10mm	1/4"
BH-7912-014	Metric Straight Male Connector	Brass	10mm	3/8"
BH-7912-015	Metric Straight Male Connector	Brass	12mm	1/4"
BH-7912-016	Metric Straight Male Connector	Brass	12mm	3/8"
BH-7912-017	Metric Straight Male Connector	Brass	12mm	1/2"



SVI Part #	Description	Style	OD Tube	BSPT
BH-7912-040	Metric Straight Female Connector	Brass	4mm	1/8"
BH-7912-041	Metric Straight Female Connector	Brass	4mm	1/4"
BH-7912-042	Metric Straight Female Connector	Brass	6mm	1/8"
BH-7912-043	Metric Straight Female Connector	Brass	6mm	1/4"
BH-7912-044	Metric Straight Female Connector	Brass	6mm	3/8"
BH-7912-045	Metric Straight Female Connector	Brass	8mm	1/8"
BH-7912-046	Metric Straight Female Connector	Brass	8mm	1/4"
BH-7912-047	Metric Straight Female Connector	Brass	8mm	3/8"
BH-7912-048	Metric Straight Female Connector	Brass	10mm	1/4"
BH-7912-049	Metric Straight Female Connector	Brass	10mm	3/8"
BH-7912-050	Metric Straight Female Connector	Brass	12mm	1/4"
BH-7912-051	Metric Straight Female Connector	Brass	12mm	3/8"
BH-7912-052	Metric Straight Female Connector	Brass	12mm	1/2"



**Metric Push-On Fittings—  
BSPT Thread**



### Metric Push-on Fittings - BSPT Thread (British Standard Pipe Thread) for Metric Polyethylene, Nylon & Polyurethane Air Line Tubing

#### Nickel-Plated Brass



SVI Part #	Description	Style	OD Tube	BSPT
BH-7912-061	Metric Swivel Male Elbow	Brass	4mm	1/8"
BH-7912-062	Metric Swivel Male Elbow	Brass	4mm	1/4"
BH-7912-064	Metric Swivel Male Elbow	Brass	6mm	1/8"
BH-7912-065	Metric Swivel Male Elbow	Brass	6mm	1/4"
BH-7912-066	Metric Swivel Male Elbow	Brass	6mm	3/8"
BH-7912-067	Metric Swivel Male Elbow	Brass	8mm	1/8"
BH-7912-068	Metric Swivel Male Elbow	Brass	8mm	1/4"
BH-7912-069	Metric Swivel Male Elbow	Brass	8mm	3/8"
BH-7912-070	Metric Swivel Male Elbow	Brass	10mm	1/8"
BH-7912-071	Metric Swivel Male Elbow	Brass	10mm	1/4"
BH-7912-072	Metric Swivel Male Elbow	Brass	10mm	3/8"
BH-7912-073	Metric Swivel Male Elbow	Brass	12mm	1/4"
BH-7912-074	Metric Swivel Male Elbow	Brass	12mm	3/8"
BH-7912-075	Metric Swivel Male Elbow	Brass	12mm	1/2"



SVI Part #	Description	Style	OD Tube	BSPT
BH-7912-086	Metric Swivel Male Tee	Brass	4mm	1/8"
BH-7912-087	Metric Swivel Male Tee	Brass	4mm	1/4"
BH-7912-089	Metric Swivel Male Tee	Brass	6mm	1/8"
BH-7912-090	Metric Swivel Male Tee	Brass	6mm	1/4"
BH-7912-091	Metric Swivel Male Tee	Brass	6mm	3/8"
BH-7912-092	Metric Swivel Male Tee	Brass	8mm	1/8"
BH-7912-093	Metric Swivel Male Tee	Brass	8mm	1/4"
BH-7912-094	Metric Swivel Male Tee	Brass	8mm	3/8"
BH-7912-095	Metric Swivel Male Tee	Brass	10mm	1/8"
BH-7912-096	Metric Swivel Male Tee	Brass	10mm	1/4"
BH-7912-097	Metric Swivel Male Tee	Brass	10mm	3/8"
BH-7912-098	Metric Swivel Male Tee	Brass	10mm	1/2"
BH-7912-099	Metric Swivel Male Tee	Brass	12mm	1/4"
BH-7912-100	Metric Swivel Male Tee	Brass	12mm	3/8"
BH-7912-101	Metric Swivel Male Tee	Brass	12mm	1/2"



SVI Part #	Description	Style	OD Tube	BSPT
BH-7912-111	Metric Swivel Male Run Tee	Brass	4mm	1/8"
BH-7912-112	Metric Swivel Male Run Tee	Brass	4mm	1/4"
BH-7912-114	Metric Swivel Male Run Tee	Brass	6mm	1/8"
BH-7912-115	Metric Swivel Male Run Tee	Brass	6mm	1/4"
BH-7912-116	Metric Swivel Male Run Tee	Brass	6mm	3/8"
BH-7912-117	Metric Swivel Male Run Tee	Brass	8mm	1/8"
BH-7912-118	Metric Swivel Male Run Tee	Brass	8mm	1/4"
BH-7912-119	Metric Swivel Male Run Tee	Brass	8mm	3/8"
BH-7912-120	Metric Swivel Male Run Tee	Brass	10mm	1/8"
BH-7912-121	Metric Swivel Male Run Tee	Brass	10mm	1/4"
BH-7912-122	Metric Swivel Male Run Tee	Brass	10mm	3/8"
BH-7912-123	Metric Swivel Male Run Tee	Brass	10mm	1/2"
BH-7912-124	Metric Swivel Male Run Tee	Brass	12mm	1/4"
BH-7912-125	Metric Swivel Male Run Tee	Brass	12mm	3/8"
BH-7912-126	Metric Swivel Male Run Tee	Brass	12mm	1/2"



**Metric Push-on Fittings - BSPT Thread (British Standard Pipe Thread)  
for Metric Polyethylene, Nylon & Polyurethane Air Line Tubing**

Nickel-Plated Brass

SVI Part #	Description	Style	OD Tube
BH-7912-135	Metric Straight Union	Brass	4mm
BH-7912-136	Metric Straight Union	Brass	6mm
BH-7912-137	Metric Straight Union	Brass	8mm
BH-7912-138	Metric Straight Union	Brass	10mm
BH-7912-139	Metric Straight Union	Brass	12mm

SVI Part #	Description	Style	OD Tube	OD Tube
BH-7912-142	Metric Different Union	Brass	6mm	4mm
BH-7912-143	Metric Different Union	Brass	8mm	6mm
BH-7912-144	Metric Different Union	Brass	10mm	8mm
BH-7912-145	Metric Different Union	Brass	12mm	10mm

SVI Part #	Description	Style	OD Tube
BH-7912-150	Metric Union Elbow	Brass	4mm
BH-7912-151	Metric Union Elbow	Brass	6mm
BH-7912-152	Metric Union Elbow	Brass	8mm
BH-7912-153	Metric Union Elbow	Brass	10mm
BH-7912-154	Metric Union Elbow	Brass	12mm

SVI Part #	Description	Style	OD Tube
BH-7912-160	Metric Union Tee	Brass	4mm
BH-7912-161	Metric Union Tee	Brass	6mm
BH-7912-162	Metric Union Tee	Brass	8mm
BH-7912-163	Metric Union Tee	Brass	10mm
BH-7912-164	Metric Union Tee	Brass	12mm

SVI Part #	Description	Style	OD Tube	BSPT
BH-7912-180	Metric Female Bulkhead Union	Brass	4mm	1/8"
BH-7912-181	Metric Female Bulkhead Union	Brass	4mm	1/4"
BH-7912-182	Metric Female Bulkhead Union	Brass	6mm	1/8"
BH-7912-183	Metric Female Bulkhead Union	Brass	6mm	1/4"
BH-7912-184	Metric Female Bulkhead Union	Brass	6mm	3/8"
BH-7912-185	Metric Female Bulkhead Union	Brass	8mm	1/8"
BH-7912-186	Metric Female Bulkhead Union	Brass	8mm	1/4"
BH-7912-187	Metric Female Bulkhead Union	Brass	8mm	3/8"
BH-7912-188	Metric Female Bulkhead Union	Brass	10mm	1/4"
BH-7912-189	Metric Female Bulkhead Union	Brass	10mm	3/8"
BH-7912-190	Metric Female Bulkhead Union	Brass	10mm	1/2"
BH-7912-191	Metric Female Bulkhead Union	Brass	12mm	1/4"
BH-7912-192	Metric Female Bulkhead Union	Brass	12mm	3/8"
BH-7912-193	Metric Female Bulkhead Union	Brass	12mm	1/2"

SVI Part #	Description	Style	OD Tube
BH-7912-170	Metric Bulkhead Union	Brass	4mm
BH-7912-171	Metric Bulkhead Union	Brass	6mm
BH-7912-172	Metric Bulkhead Union	Brass	8mm
BH-7912-173	Metric Bulkhead Union	Brass	10mm
BH-7912-174	Metric Bulkhead Union	Brass	12mm



**Metric Push-On Fittings—  
BSPT Thread**



### Metric Push-on Fittings - BSPT Thread (British Standard Pipe Thread) for Metric Polyethylene, Nylon & Polyurethane Air Line Tubing

POM (Polyoxymethylene) Resin



SVI Part #	Description	Style	OD Tube	BSPT
BH-7913-117	Metric Swivel Branch Y	Resin	4mm	1/8"
BH-7913-118	Metric Swivel Branch Y	Resin	4mm	1/4"
BH-7913-120	Metric Swivel Branch Y	Resin	6mm	1/8"
BH-7913-121	Metric Swivel Branch Y	Resin	6mm	1/4"
BH-7913-122	Metric Swivel Branch Y	Resin	6mm	3/8"
BH-7913-123	Metric Swivel Branch Y	Resin	8mm	1/8"
BH-7913-124	Metric Swivel Branch Y	Resin	8mm	1/4"
BH-7913-125	Metric Swivel Branch Y	Resin	8mm	3/8"
BH-7913-126	Metric Swivel Branch Y	Resin	10mm	1/4"
BH-7913-127	Metric Swivel Branch Y	Resin	10mm	3/8"
BH-7913-128	Metric Swivel Branch Y	Resin	10mm	1/2"



SVI Part #	Description	Style	OD Tube
BH-7913-110	Metric Swivel Union Y	Resin	4mm
BH-7913-111	Metric Swivel Union Y	Resin	6mm
BH-7913-112	Metric Swivel Union Y	Resin	8mm
BH-7913-113	Metric Swivel Union Y	Resin	10mm



SVI Part #	Description	Style	OD Tube	BSPT
BH-7913-051	Metric Swivel Male Tee	Resin	4mm	1/8"
BH-7913-052	Metric Swivel Male Tee	Resin	4mm	1/4"
BH-7913-054	Metric Swivel Male Tee	Resin	6mm	1/8"
BH-7913-055	Metric Swivel Male Tee	Resin	6mm	1/4"
BH-7913-056	Metric Swivel Male Tee	Resin	6mm	3/8"
BH-7913-057	Metric Swivel Male Tee	Resin	8mm	1/8"
BH-7913-058	Metric Swivel Male Tee	Resin	8mm	1/4"
BH-7913-059	Metric Swivel Male Tee	Resin	8mm	3/8"
BH-7913-060	Metric Swivel Male Tee	Resin	10mm	1/8"
BH-7913-061	Metric Swivel Male Tee	Resin	10mm	1/4"
BH-7913-062	Metric Swivel Male Tee	Resin	10mm	3/8"
BH-7913-063	Metric Swivel Male Tee	Resin	10mm	1/2"
BH-7912-064	Metric Swivel Male Tee	Resin	12mm	1/4"
BH-7912-065	Metric Swivel Male Tee	Resin	12mm	3/8"
BH-7912-066	Metric Swivel Male Tee	Resin	12mm	1/2"



**Metric Push-on Fittings - BSPT Thread (British Standard Pipe Thread)**  
for Metric Polyethylene, Nylon & Polyurethane Air Line Tubing

POM (Polyoxymethylene) Resin

SVI Part #	Description	Style	OD Tube	BSPT
BH-7913-076	Metric Swivel Male Run Tee	Resin	4mm	1/8"
BH-7913-077	Metric Swivel Male Run Tee	Resin	4mm	1/4"
BH-7913-079	Metric Swivel Male Run Tee	Resin	6mm	1/8"
BH-7913-080	Metric Swivel Male Run Tee	Resin	6mm	1/4"
BH-7913-081	Metric Swivel Male Run Tee	Resin	6mm	3/8"
BH-7913-082	Metric Swivel Male Run Tee	Resin	8mm	1/8"
BH-7913-083	Metric Swivel Male Run Tee	Resin	8mm	1/4"
BH-7913-084	Metric Swivel Male Run Tee	Resin	8mm	3/8"
BH-7913-085	Metric Swivel Male Run Tee	Resin	10mm	1/8"
BH-7913-086	Metric Swivel Male Run Tee	Resin	10mm	1/4"
BH-7913-087	Metric Swivel Male Run Tee	Resin	10mm	3/8"
BH-7913-088	Metric Swivel Male Run Tee	Resin	10mm	1/2"
BH-7913-089	Metric Swivel Male Run Tee	Resin	12mm	1/4"
BH-7912-090	Metric Swivel Male Run Tee	Resin	12mm	3/8"
BH-7912-091	Metric Swivel Male Run Tee	Resin	12mm	1/2"



SVI Part #	Description	Style	OD Tube
BH-7913-100	Metric Union Tee	Resin	4mm
BH-7913-101	Metric Union Tee	Resin	6mm
BH-7913-102	Metric Union Tee	Resin	8mm
BH-7913-103	Metric Union Tee	Resin	10mm
BH-7913-104	Metric Union Tee	Resin	12mm



SVI Part #	Description	Style	OD Tube	BSPT
BH-7913-026	Metric Swivel Male Elbow	Resin	4mm	1/8"
BH-7913-027	Metric Swivel Male Elbow	Resin	4mm	1/4"
BH-7913-029	Metric Swivel Male Elbow	Resin	6mm	1/8"
BH-7913-030	Metric Swivel Male Elbow	Resin	6mm	1/4"
BH-7913-031	Metric Swivel Male Elbow	Resin	6mm	3/8"
BH-7913-032	Metric Swivel Male Elbow	Resin	8mm	1/8"
BH-7913-033	Metric Swivel Male Elbow	Resin	8mm	1/4"
BH-7913-034	Metric Swivel Male Elbow	Resin	8mm	3/8"
BH-7913-035	Metric Swivel Male Elbow	Resin	10mm	1/8"
BH-7913-036	Metric Swivel Male Elbow	Resin	10mm	1/4"
BH-7913-037	Metric Swivel Male Elbow	Resin	10mm	3/8"
BH-7913-038	Metric Swivel Male Elbow	Resin	10mm	1/2"
BH-7913-039	Metric Swivel Male Elbow	Resin	12mm	1/4"
BH-7913-040	Metric Swivel Male Elbow	Resin	12mm	3/8"
BH-7913-041	Metric Swivel Male Elbow	Resin	12mm	1/2"



**Metric Push-On Fittings—  
BSPT Thread**



### D.O.T. Push-On Fittings - NPT Thread for D.O.T. Type "A" & Type "B" Air Line Tubing

#### Brass



SVI Part #	Description	Style	OD Tube	NPT
BH-7914-005	Straight Male Connector	Brass	1/4"	1/8"
BH-7914-006	Straight Male Connector	Brass	1/4"	1/4"
BH-7914-007	Straight Male Connector	Brass	1/4"	3/8"
BH-7914-011	Straight Male Connector	Brass	3/8"	1/8"
BH-7914-012	Straight Male Connector	Brass	3/8"	1/4"
BH-7914-013	Straight Male Connector	Brass	3/8"	3/8"
BH-7914-014	Straight Male Connector	Brass	3/8"	1/2"
BH-7914-015	Straight Male Connector	Brass	1/2"	1/4"
BH-7915-016	Straight Male Connector	Brass	1/2"	3/8"
BH-7915-017	Straight Male Connector	Brass	1/2"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7914-034	Female Connector	Brass	1/4"	1/8"
BH-7914-035	Female Connector	Brass	1/4"	1/4"
BH-7914-036	Female Connector	Brass	3/8"	1/4"
BH-7914-037	Female Connector	Brass	3/8"	3/8"
BH-7914-038	Female Connector	Brass	1/2"	3/8"
BH-7914-039	Female Connector	Brass	1/2"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7914-054	Male Elbow	Brass	1/4"	1/8"
BH-7914-055	Male Elbow	Brass	1/4"	1/4"
BH-7914-056	Male Elbow	Brass	1/4"	3/8"
BH-7914-060	Male Elbow	Brass	3/8"	1/8"
BH-7914-061	Male Elbow	Brass	3/8"	1/4"
BH-7914-062	Male Elbow	Brass	3/8"	3/8"
BH-7914-063	Male Elbow	Brass	3/8"	1/2"
BH-7914-064	Male Elbow	Brass	1/2"	1/4"
BH-7914-065	Male Elbow	Brass	1/2"	3/8"
BH-7914-066	Male Elbow	Brass	1/2"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7914-026	Female Elbow	Brass	1/4"	1/8"
BH-7914-027	Female Elbow	Brass	1/4"	1/4"
BH-7914-028	Female Elbow	Brass	1/4"	3/8"
BH-7914-029	Female Elbow	Brass	3/8"	1/8"
BH-7914-030	Female Elbow	Brass	3/8"	1/4"





**D.O.T. Push-on Fittings - NPT Thread**  
for D.O.T. Type "A" & Type "B" Air Line Tubing

Brass

SVI Part #	Description	Style	OD Tube	OD Tube
BH-7914-070	Union Elbow	Brass	1/4"	1/4"
BH-7914-072	Union Elbow	Brass	3/8"	3/8"
BH-7914-074	Union Elbow	Brass	1/2"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7914-080	Male Run Tee	Brass	1/4"	1/8"
BH-7914-081	Male Run Tee	Brass	1/4"	1/4"
BH-7914-084	Male Run Tee	Brass	3/8"	1/4"
BH-7914-085	Male Run Tee	Brass	3/8"	3/8"
BH-7914-087	Male Run Tee	Brass	1/2"	3/8"



SVI Part #	Description	Style	OD Tube	NPT
BH-7914-090	Swivel Male Run Tee	Brass	1/4"	1/8"
BH-7914-092	Swivel Male Run Tee	Brass	1/4"	1/4"
BH-7914-096	Swivel Male Run Tee	Brass	3/8"	1/4"
BH-7914-097	Swivel Male Run Tee	Brass	3/8"	3/8"
BH-7914-098	Swivel Male Run Tee	Brass	1/2"	3/8"
BH-7914-099	Swivel Male Run Tee	Brass	1/2"	1/2"



SVI Part #	Description	Style	OD Tube	NPT
BH-7914-105	Swivel Male Tee	Brass	1/4"	1/8"
BH-7914-106	Swivel Male Tee	Brass	1/4"	1/4"
BH-7914-107	Swivel Male Tee	Brass	3/8"	1/4"
BH-7914-108	Swivel Male Tee	Brass	3/8"	3/8"
BH-7914-109	Swivel Male Tee	Brass	1/2"	1/4"
BH-7914-110	Swivel Male Tee	Brass	1/2"	3/8"
BH-7914-111	Swivel Male Tee	Brass	1/2"	1/2"



SVI Part #	Description	Style	OD Tube	OD Tube
BH-7914-119	Union Connector	Brass	1/4"	1/4"
BH-7914-120	Union Connector	Brass	3/8"	3/8"
BH-7914-121	Union Connector	Brass	1/2"	1/2"



**D.O.T. Push-On Fittings—  
NPT Thread**



## Air Release Valves & Air Cylinders

For 2-Post and 4-Post Surface Mount Lifts and In-Ground Fore & Afts

SVI Part #	Description	OEM	OEM#	Comments
BH-7157-59	Air Release Valve	ALM	X00096	4-Posters
BH-7152-05	Air Release Valve	ALM	X00113	2-Posters
BH-7152-06	Air Cylinder	ALM	A00095	1-Side port
BH-7210-22	Air Cylinder	Benwil	200077	GPI-9 Series Cassette Lifts
BH-7213-01	Air Release Valve	Benwil	500373	4-Posters
BH-7213-60	Air Cylinder	Benwil	500068	4-Posters
BH-7228-73	Air Release Valve	Challenger	37016	37000; 39000; 70000
BH-7229-29	Air Cylinder	Challenger	37026	37000; 39000; 70000
BH-7251-42	Air Cylinder	Globe	913830	1-Side port; 1-Rear port
BH-7278-01	Air Cylinder	Hunter		
BH-7289-09	Air Cylinder	Hydralift	78830	1-Side port; 1-Rear port
BH-7437-34	Air Cylinder	PMW	002120	4-Posters
BH-7476-11	Air Cylinder	Bend Pak	S110	4-Posters
BH-7501-53	Air Cylinder	Rotary	FA2230-1	Round
BH-7503-94	Air Cylinder	Rotary	FC5708-2	D-Shaped 2-Ports 1-Plugged
BH-7504-19K	Air Release Valve Kit	Rotary	N620	4-Posters
BH-7506-01	Air Cylinder	Rotary	FC5706-6	D-Shaped; Side port
BH-7514-20	Air Release Valve	Rotary	FA3203	Push button style
BH-7515-01	Air Cylinder	Rotary	FA2273-20	2-Ports w/elbows
BH-7515-02	Air Release Valve	Rotary	FA2273-3	Toggle style
BH-7515-46	Air Cylinder	Rotary	FC5224-33	Fully retracted
BH-7517-29	Air Cylinder	Rotary	FC5309-3	D-Shaped; 1-Side Port
BH-7528-92	Air Cylinder	Rotary	N61	D-Shaped; 1-Side Port
BH-7530-90	Air Cylinder	Rotary	FC5706-17	Order BH-7503-94
BH-7542-61	Air Cylinder	Rotary	S130017	D-Shaped; 2-Side Ports
BH-9413-14	Air Release Valve	Globe	918053	Normally closed
BH-9432-01	Air Cylinder	Globe	916987	1-Rear port
BH-9432-02	Air Release Valve	Globe	916990	Normally open
BH-9667-01	Air Release Valve	Weaver	S-18325	Old style valve; 3-Ports; 2-mounting holes
BH-9667-01A	Air Release Valve	Weaver		Newer style valve; 2-Ports; No mount holes
BH-9667-02	Air Cylinder	Weaver	S-25502	Rear port; fully retracted
BH-9667-03	Air Cylinder	Weaver	S-25534	Side port; fully extended
BH-9775-07	Air Cylinder	Rotary	FA299-15	Single cylinders; fully retracted
BH-9775-11	Air Cylinder	Rotary	FA2106-10	Dual cylinders; fully extended
BH-9786-10	Air Cylinder	Rotary	T100145	Cassette Lifts
BH-9786-15	Air Release Valve	Rotary	T140073	4-Posters

# Air Release Valves & Air Cylinders



**BH-7157-59**  
for **ALM**  
x-Ref# X00096




**BH-7152-05**  
for **ALM**  
x-Ref# X00113



**BH-7152-06**  
for **ALM**  
x-Ref# A00095



**BH-7210-22**  
for **Benwil**  
x-Ref# 200077




**BH-7278-01**  
for **Hunter**

**Air Release Valves & Air Cylinders**

For 2-Post and 4-Post Surface Mount Lifts and In-Ground Fore & Afts



**BH-7213-01**  
for **Benwil**  
x-Ref# 500373



**BH-7213-60**  
for **Benwil**  
x-Ref# 500068



**BH-7229-29**  
for **Challenger**  
x-Ref# 37026




**BH-7228-73**  
for **Challenger**  
x-Ref# 37016



**BH-7251-42**  
for **Globe**  
x-Ref# 913830




**BH-7289-09**  
for **Hydralift**  
x-Ref# 78830




**BH-7476-11**  
for **Bend-Pak**  
x-Ref# S110



**BH-7501-53**  
for **Rotary**  
x-Ref# FA2230-1



**BH-7503-94**  
for **Rotary**  
x-Ref# FC5708-2



**BH-7504-19K**  
for **Rotary**  
x-Ref# N620




**BH-7506-01**  
for **Rotary**  
x-Ref# FC5706-6



**BH-7514-20**  
for **Rotary**  
x-Ref# FA3203

*See following page for Internal Airline Kit for Many Rotary 4-Post Models (BH-7509-72)*



**BH-7515-01**  
for **Rotary**  
x-Ref# FA2273-20




**BH-7515-02**  
for **Rotary**  
x-Ref# FA2273-3




**BH-7516-46**  
for **Rotary**  
x-Ref# FC5224-33



**BH-7517-29**  
for **Rotary**  
x-Ref# FC5309-3



**BH-7528-92**  
for **Rotary**  
x-Ref# N61



**BH-7542-61**  
for **Rotary**  
x-Ref# S130017



**BH-9413-14**  
for **Globe**  
x-Ref# 918053



**BH-9432-01**  
for **Globe**  
x-Ref# 916987

**Air Release Valves & Air Cylinders**



### Air Release Valves & Air Cylinders



BH-9432-02  
for Globe  
x-Ref# 916990



BH-9667-01  
for Weaver  
x-Ref# S-18325



BH-9667-01A  
for Weaver



BH-9667-02  
for Weaver  
x-Ref# S-25502

## Air Release Valves & Air Cylinders



BH-9667-03  
for Weaver  
x-Ref# S-25534



BH-9775-07  
for Rotary  
x-Ref# FA299-15



BH-9775-11  
for Rotary  
x-Ref# FA2106-10



BH-9786-10  
for Rotary  
x-Ref# T100145



### Internal Airline Kit for Many Rotary 4-Post Lift Models

**BH-7509-72** (OEM #FC5760)  
*Some Components Available Individually*

### Recoil Air Hoses

SVI Part #	Description	OEM	OEM#	Comments
BH-7207-33	Recoil Hose	Benwil	200098	GPI-9 Series Cassette Lifts
BH-7233-53	Recoil Hose	Challenger	16147	CS9200 Cassette Lift
BH-7508-83	Recoil Hose	Rotary	FC147-14	Rolling Bridges
BH-7544-12	Recoil Hose	Rotary	T140096	Cassette Lifts



BH-7233-53  
for Challenger  
x-Ref# 16147



BH-7508-83  
for Rotary  
x-Ref# FC147-14



BH-7544-12  
for Rotary  
x-Ref# T140096

## Recoil Air Hoses

SVI Part #	Air2L™ Description
AS-2301-01	1/4" & 1/4" NPT Inlets
AS-2301-02	1/4" & 3/8" NPT Inlets
AS-2301-03	3/8" & 3/8" NPT Inlets

Air2L™ kits are supplied without coupler fittings. See SVI Air System Products catalog for all the various coupler fittings.



The patented **Air2L™** is truly a time-saving product that is a must have for everyone who works with air tools.

**How many times have you had to make a coupler plug change in the field?** Reduce your chances and own an Air2L™. Always be ready to go when you encounter one of the two different popular styles of coupler plugs commonly used in your industry.

**How does it work?** Simple, connect up to the plug you need and there is an internal ball that automatically moves to block the coupler opening not in use.

#### **BENEFITS**

- Minimizes frequent threading and unthreading that can result in stripping of the tool's air inlet over time.
- Helps to keep foreign material such as thread sealant tape, dirt, etc. from entering the tool.
- Time savings; various automotive shops often use one style of coupler over another.
- Users can have the more standard coupler as their primary fitting in one port and a less common fitting in the second port.

#### **Other Markets**

**High Flow vs. Standard Flow.** Many carpentry contractors utilize 1/4" fittings on finish and brad nailers and 3/8" fittings on roofing framing nailers. This causes the need for them to utilize cumbersome in-line adapters or removal of fittings to facilitate interchange of tools on a jobsite.

**Rental Industry.** In the rental industry virtually all companies remove the air inlet fittings owing to the fact that they do not know what type of fittings their customers utilize. Tool damage and decreased life cycles are extremely expensive to the rental industry as a result of this practice. Send your sales people on a mission.

**TERMS AND CONDITIONS OF THE  
SALES ORDER  
FOR SVI INTERNATIONAL, INC.**

1. **GENERAL.** The terms and conditions of sales order outlined herein shall apply to the sale by SVI INTERNATIONAL, INC. (hereinafter referred to as "Company") of the items described on the facing page (hereinafter referred to as "Merchandise") to Purchaser.
2. **DELIVERY.** Delivery shall be deemed to be complete when the Merchandise has been shipped F.O.B. Company's plants in DeKalb, Illinois, Duarte, California; and Baltimore, Maryland ("Company's plants"). Shipments are subject to delays from causes or contingencies beyond the reasonable control of the Company. When otherwise not specified, shipments will be made in standard containers via carrier which, in the judgment of the Company, will result in the most practical method. Title and right of possession will pass to the Purchaser upon receipt by the carrier at the shipping point. If a customer of the Company should specify a specific carrier's method of shipment (i.e. UPS Next Day Air) and that carrier does not perform to the customer's expectations, freight credit to a customer's account will not be issued unless the Company can first obtain a credit.
3. **RISK OF LOSS.** Identification of the Merchandise under Uniform Commercial Code (hereinafter referred to as "UCC") Section 2-501 shall take place at the moment of shipment F.O.B. Company's plants. Risk of loss shall pass to the Purchaser when the Merchandise is shipped from the Company's plants.
4. **TITLE.** Title to the merchandise shall transfer to the Purchaser when the Merchandise is shipped from the Company's plants.
5. **WARRANTIES.** The Company guarantees its products to be free from defects in workmanship and raw materials for a period of one year from date of purchase. THIS WARRANTY IS EXPRESSLY IN LIEU OF ANY AND ALL WARRANTIES EXPRESS OR IMPLIED. COMPANY DOES NOT WARRANT THE MERCHANDISE IS MERCHANTABILITY OR FIT FOR ANY PARTICULAR PURPOSE. Company's liability for breach of the terms of this Agreement, including any warranty, is limited to either refund of the invoice price of the Merchandise or at Company's option, replacement of the Merchandise free of charge, including transportation charges but not including the cost of labor. Purchaser has not relied on any statement or upon the conduct of Company with respect to the prospective use of the merchandise. Company shall not be liable for and Purchaser waives any and all claims for any loss or damage, directly or indirectly, arising from the use of the Merchandise and for punitive, incidental or consequential damages, including, but not limited to, damages to property, for loss of use, loss of time, loss of profit or loss of income. The Company does not authorize the sale of our products under any other warranty, expressed or implied.
6. **SETOFF.** All claims for money due or to become due from the Company shall be subject to deduction by the Company for any setoff or counterclaim arising out of this or any other claims of the Company or its affiliated companies, whether such setoff or counterclaim arose before or after any assignment by Purchaser.
7. **INDEMNIFICATION.** Purchaser agrees to indemnify the Company and hold it harmless from and against all claims, liability, loss, damage or expense, including reasonable counsel fees, arising from or by reason of any modifications or alterations made by Purchaser. If a customer of the Company modifies or alters any part, in any manner whatsoever, or uses any part in departure from recommended performance specifications, said customer agrees to indemnify and hold the Company harmless from and against all liability and expenses based on damage to property or injury to or death of any person arising out of or attributable to such modified or altered part. Further, the Company will not accept any such modified or altered part for credit to a customer's account.
8. **FREIGHT POLICY.** Freight charges on individual orders less than \$3,000 in net value are prepaid and added to invoice or collect F.O.B. shipping point. Freight charges (standard ground service and continental US only) on individual orders more than \$3,000 net value are paid by the Company F.O.B. shipping point. Note: customers with C.O.D. terms are responsible for all carrier C.O.D. fees regardless of order net value.
9. **RETURN POLICY.** To return parts for credit or inspection Purchaser must first contact the Company to obtain a Return Goods Authorization number (RGA#). Once Purchaser has obtained an RGA# the parts can be returned freight prepaid only. The RGA# must be on the outside of the container in a highly visible location. All parts must be returned freight prepaid and the shipment must include a letter of explanation giving the specific reason for return including details as to the conditions under which the part or parts operated. Note: parts returned without an RGA#, freight collect or without written explanation may be refused. Parts which have been used in any way or manner, including any installation or incorporation into a lift or hoist, shall NOT be eligible for return whether or not an RGA has been assigned.
10. **RESTOCK CHARGE.** Returns are subject to up to twenty-five (25%) restocking charge. Refusals are subject to the same restocking charge plus the cost of outbound and return freight charges and/or fees incurred by the Company due to shipment refusal.
11. **PRICES AND PAYMENTS.** All prices are subject to change without notice. All prices are F.O.B. shipping point. The Company standard terms are net 30 days, C.O.D. company check, C.O.D. cash, VISA, MasterCard, Discover or American Express. However, if in the judgment of the Company, the financial condition of the Purchaser at any time does not justify shipment according to standard terms of payment, the Company may require full or partial payment in advance.
12. **INTERPRETATION.** This sales order is intended by the parties as a complete and exclusive statement of the terms of their agreement. It supersedes all prior agreements, written or oral. No course of prior dealings between the parties and no usage of the trade shall be relevant to supplement or explain any terms used in this sales order. Acceptance or acquiescence in a course of performance rendered under this purchase order shall not be relevant to determine the meaning of this sales order even though the accepting or acquiescing party has knowledge of the nature of the performance and opportunity for objection. Whenever a term defined by the UCC is used in this sales order the definition contained in the UCC shall control.
13. **MODIFICATION.** This sales order can be modified or rescinded only by a writing signed by both parties.
14. **WAIVER.** No claim or right arising out of a breach of this sales order can be discharged in whole or in part by a waiver or renunciation of the claim or right unless such waiver or renunciation is supported by consideration and is in writing signed by the aggrieved party.
15. **ASSIGNMENT.** No right or interest in this sales order shall be assigned by either party without the written consent of the other and no delegation of any obligation owed, or of the performance of any obligation by either the Company or Purchaser shall be made without the written consent of the other party. Any attempted assignment or delegation not made in conformity with this paragraph shall be wholly void and totally ineffective for all purposes.
16. **TIME TO PERFORM AND BRING ACTION.** Time is of the essence of this sales order. Any action for breach of this sales order shall be commenced within two (2) years after the cause of action has accrued. Any party who loses any litigation shall reimburse the other party for costs including reasonable attorneys fees. The exclusive jurisdiction for any legal action shall be the Circuit Court of DeKalb County, Illinois.
17. **APPLICABLE LAW.** This sales order shall be governed by the UCC of Illinois as effective and in force on the date of this sales order.